

Design Patricia Urquiola - 2000



SOFA

Seats with wooden structure covered with polyurethane foam in differentiated densities and polyester fiber. Armrests in cold injected polyurethane with an internal steel frame. As standard, polyurethane complies with CAL TB 117 without flame retardants; the fire-retardant version BS 5852, crib 5 is available with an 8% surcharge. Sled bases made of stainless steel tube. PVC glides.

BEDS

Wooden headboard and bed frame covered with polyurethane foam. As standard, polyurethane complies with CAL TB 117 without flame retardants; the fire-retardant version BS 5852, crib 5 is available with an 8% surcharge. Height-adjustable bed base supports. Only suitable for mattresses with standard European measurements. Additional charge for the optional central crossbar is €325.

The Lowland collection covers are removable by disassembling the armrests and the backrest.

NOTES:

- Quilted version not available in leather
- The configured elements are fixed, it is not possible to remove/add armrests to the created versions
- In the technical drawings, the dotted lines indicate the positioning of the feet
- Recommended fabrics: check out www.moroso.it/productname --> "Configure your product" or monet.moroso.it.

Please note: For leather versions seams are not symmetrically matched between backrest and seat.



DIVANO

Sedute in poliuretano espanso a densità differenziate e fibra poliestere con struttura interna in legno. Braccioli in poliuretano schiumato a freddo con struttura interna in acciaio. Di serie, poliuretano conforme a CAL TB 117 privo di ritardanti di fiamma; disponibile la versione ignifuga BS 5852, crib 5 con sovrapprezzo dell'8%. Piedi a slitta in tubo di acciaio inox. Sottopiedi in PVC.

La collezione Lowland è facilmente sfoderabile smontando i braccioli e lo schienale.

LETTI

Testiera e giroletto imbottiti con poliuretano espanso su struttura in legno. Di serie, poliuretano conforme a CAL TB 117 privo di ritardanti di fiamma; disponibile la versione ignifuga BS 5852, crib 5 con sovrapprezzo dell'8%. Supporti rete regolabili in altezza. Può contenere solo materassi con misure standard europee. Maggiorazione per traversa centrale opzionale € 325 .

NOTE:

- La versione trapuntata NON è realizzabile in pelle
- Gli elementi configurati sono fissi, non è possibile togliere/aggiungere braccioli alle versioni create
- Nei disegni tecnici, le linee tratteggiate indicano il posizionamento dei piedi
- Tessuti consigliati: consulta www.moroso.it/nomeprodotto --> "Configura il tuo prodotto" oppure monet.moroso.it.

Avvertenze: Nelle composizioni in pelle le cuciture non sono allineate tra schienale e seduta.



Feet colors Colori piedi



STAINLESS
steel


		depth - profondità								
larghezza - width	cm	154	188 194	218 224	238 244	274 280	284 290	314 320	333 339	364 370
	284		SF2		SC1 SC4	CF5 CFA				
	302	CA1 CB1					CG6	CG7	CG8	CG9
	314		SH2	SH3 CHB	CHA	CC5				
	333	CA2 CB2	SI2	CIC	SI4 CIA	CC3	CI6	CI7	CI8	
	352	CA3 CB3					CJ6	CJ7	CJ8	
	364			CKC	CKA	CK5 CKB				
	382	CB4					CM6	CE1 CE2	CM8	CM9 CMA
	404			SPA	SPB	SPC				
	423									
442					CR5					
454				SSB	SSC					
472			CTB	CTC						

2 seater sofa major

Divano 2 posti major

C18

8,6 mt. ★ 16,3 m² 1,7 m³ 83 Kg




3 seater sofa

Divano 3 posti

C03

8,8 mt. ★ 16,8 m² 1,9 m³ 104 Kg




3 seater sofa major

Divano 3 posti major

CM1

9,2 mt. ★ 17,4 m² 2,1 m³ 114 Kg




Stool

Pouf

017

2,4 mt. ★ 4,6 m² 0,3 m³ 25 Kg




Stool large

Pouf grande

077

3,9 mt. ★ 7,4 m² 0,8 m³ 40 Kg




Composition A1R or A1L

Composizione A1Dx-A1Sx

CA1

12,3 mt. ★ 23,6 m² 2,7 m³ 129 Kg




Composition A2R or A2L

Composizione A2Dx-A2Sx

CA2

13,6 mt. ★ 25,9 m² 3 m³ 156 Kg




Composition A3R or A3L

Composizione A3Dx-A3Sx

CA3

13,8 mt. ★ 26,2 m² 3,2 m³ 165 Kg




Composition B1R or B1L

Composizione B1Dx-B1Sx

CB1

12,1 mt. ★ 23 m² 2,5 m³ 129 Kg




Composition B2R or B2L

Composizione B2Dx-B2Sx

CB2

13,2 mt. ★ 25,2 m² 2,7 m³ 156 Kg




Composition B3R or B3L

Composizione B3Dx-B3Sx

CB3

13,6 mt. ★ 25,9 m² 3 m³ 165 Kg




Composition B4R or B4L

Composizione B4Dx-B4Sx

CB4

13,8 mt. ★ 26,2 m² 3,2 m³ 175 Kg




Composition C1R or C1L

Composizione C1Dx-C1Sx

SC1

13,4 mt. ★ 25,6 m² 3,1 m³ 157 Kg




Composition C3R or C3L

Composizione C3Dx-C3Sx

CC3

17,6 mt. ★ 33,5 m² 5,7 m³ 192 Kg




Composition C4R or C4L

Composizione C4Dx-C4Sx

CC4

15,1 mt. ★ 28,7 m² 3,6 m³ 162 Kg




Composition C5R or C5L

Composizione C5Dx-C5Sx

CC5

16,5 mt. ★ 31,4 m² 4 m³ 177 Kg




Composition D2R or D2L

Composizione D2Dx-D2Sx

CD2

22,7 mt. ★ 43,3 m² 5,7 m³ 245 Kg




Composition E1R or E1L

Composizione E1Dx-E1Sx

CE1

21,5 mt. ★ 40,9 m² 5,1 m³ 225 Kg




Composition E2R or E2L

Composizione E2Dx-E2Sx

CE2

22,5 mt. ★ 43 m² 6,6 m³ 230 Kg




Composition E5R or E5L

Composizione E5Dx-E5Sx

CE5

12,8 mt. ★ 24,3 m² 3,3 m³ 140 Kg




Composition F2R or F2L

Composizione F2Dx-F2Sx

SF2

12,7 mt. ★ 24,2 m² 3,1 m³ 150 Kg




Composition F5R or F5L

Composizione F5Dx-F5Sx

CF5

16,3 mt. ★ 31 m² 3,8 m³ 175 Kg




Composition FAR or FAL

Composizione FADx-FASx

CFA

15,6 mt. ★ 29,6 m² 4 m³ 169 Kg




Composition G6R or G6L

Composizione G6Dx-G6Sx

CG6

19,1 mt. ★ 36,2 m² 4,3 m³ 206 Kg




Composition G7R or G7L

Composizione G7Dx-G7Sx

CG7

20,2 mt. ★ 38,4 m² 4,6 m³ 208 Kg




Composition G8R or G8L

Composizione G8Dx-G8Sx

CG8

20,4 mt. ★ 38,8 m² 4,8 m³ 213 Kg




Composition G9R or G9L

Composizione G9Dx-G9Sx

CG9

20,4 mt. ★ 38,8 m² 4,8 m³ 218 Kg




Composition H2R or H2L

Composizione H2Dx-H2Sx

SH2

13,5 mt. ★ 25,8 m² 3,1 m³ 155 Kg




Composition H3R or H3L

Composizione H3Dx-H3Sx

SH3

14,3 mt. ★ 27,4 m² 3,3 m³ 160 Kg




Composition HAR or HAL

Composizione HADx-HASx

CHA

16,5 mt. ★ 31,5 m² 3,8 m³ 197 Kg




Composition HBR or HBL

Composizione HBDx-HBSx

CHB

16,3 mt. ★ 31,1 m² 3,8 m³ 187 Kg




Composition I2R or I2L

Composizione I2Dx-I2Sx

SI2

14,1 mt. ★ 27 m² 4,6 m³ 157 Kg




Composition I4R or I4L

Composizione I4Dx-I4Sx

SI4

14,9 mt. ★ 28,5 m² 4,9 m³ 164 Kg




Composition I6R or I6L

Composizione I6Dx-I6Sx

CI6

20,2 mt. ★ 38,4 m² 4,6 m³ 208 Kg




Composition I7R or I7L

Composizione I7Dx-I7Sx

CI7

21,3 mt. ★ 40,6 m² 4,9 m³ 215 Kg




Composition I8R or I8L

Composizione I8Dx-I8Sx

CI8

21,5 mt. ★ 41 m² 5,1 m³ 220 Kg




Composition IAR or IAL

Composizione IADx-IASx

CIA

16,7 mt. ★ 31,9 m² 4,3 m³ 177 Kg




Composition ICR or ICL

Composizione ICDx-ICSx

CIC

16,5 mt. ★ 31,5 m² 4 m³ 175 Kg




Composition J6R or J6L

Composizione J6Dx-J6Sx

CJ6

20,2 mt. ★ 38,4 m² 4,6 m³ 210 Kg




Composition J7R or J7L

Composizione J7Dx-J7Sx

CJ7

21,3 mt. ★ 40,6 m² 4,9 m³ 217 Kg




Composition J8R or J8L

Composizione J8Dx-J8Sx

CJ8

21,5 mt. ★ 41 m² 5,1 m³ 222 Kg



Composition K5R or K5L

Composizione K5DX-K5Sx

CK5

17,7 mt. ★ 33,7 m² 5,9 m³ 192 Kg



Composition KAR or KAL

Composizione KADx-KASx

CKA

16,7 mt. ★ 31,9 m² 4 m³ 182 Kg




Composition KBR or KBL

Composizione KBDx-KBSx

CKB

17,1 mt. ★ 32,6 m² 4,3 m³ 189 Kg




Composition KCR or KCL

Composizione KCDx-KCSx

CKC

16,5 mt. ★ 31,5 m² 4 m³ 180 Kg



Composition M6R or M6L

Composizione M6Dx-M6Sx

CM6

20,4 mt. ★ 38,8 m² 4,8 m³ 218 Kg



Composition M9R or M9L

Composizione M9Dx-M9Sx

CM9

21,7 mt. ★ 41,4 m² 5,3 m³ 235 Kg




Composition PAR or PAL

Composizione PADx-PASx

SPA

22,2 mt. ★ 42,4 m² 5,2 m³ 239 Kg




Composition M8R or M8L

Composizione M8Dx-M8Sx

CM8

21,7 mt. ★ 41,4 m² 5,3 m³ 230 Kg




Composition MAR or MAL

Composizione MADx-MASx

CMA

23 mt. ★ 43,8 m² 6,5 m³ 242 Kg




Composition PBR or PBL

Composizione PBDx-PBSx

SPB


22,4 mt. ★ 42,8 m² 5,2 m³ 244 Kg



Composition PCR or PCL

Composizione PCDx-PCSx


SPC



Composition R5R or R5L

Composizione R5Dx-R5Sx


CR5



Composition SBR or SBL

Composizione SBDx-SBSx


SSB



Composition SCR or SCL

Composizione SCDx-SCSx


SSC



Composition TBR or TBL

Composizione TBDx-TBSx


CTB



Composition TCR or TCL

Composizione TCDx-TCSx


CTC



Arm 02ER - 02FL

Bracciolo 02EDx - 02Fsx02E

1,6 mt. ★ 2,4 m²8 Kg



Optional cushion 55x45

Cuscino optional 55x450KE

1,1 mt. ★ 1,2 m²



Optional cushion 50x40

Cuscino optional 50x400KF


1 mt. ★ 1,1 m²



4 cushions set 2 KE + 2 KF

Set 4 cuscini 2 KE + 2 KFOMR


3,2 mt. ★ 4,1 m²



Bed 160

Letto 160175


6,8 mt. ★ 13,5 m² 1,6 m³ 85 Kg



Bed 180


Letto 180177

7,5 mt. ★ 14,5 m² 1,6 m³ 100 Kg



Bed 200


Letto 20000G



Slatted base 200x160

Rete doghe 200x160HL0195


0,3 m³



Slatted base 200x180

Rete doghe 200x180HL0197

0,3 m³



Slatted base 200x200

Rete doghe 200x2000EF

