

m o o o i


BFF Footstool

MARCEL WANDERS



The award-winning BFF Footstool by Marcel Wanders Studio follows in the footsteps of its bigger BFF brother. Offering a soft, yet firm cushion, it is available in 482 fabric options. This versatile piece of furniture promises to give your feet a rest while complementing your interiors.

Detailing



BFF Footstool is available in more than 325 fabrics.

Colours


CAT 1

Choose your
own

BFF Footstool / Footstool

Dimensions

66cm | 24"



66cm | 24"



36cm | 14.2"

Product

WIDTH 66cm | 26"
HEIGHT 36cm | 14.2"
DEPTH 66cm | 26"

Packaging

WIDTH 70cm | 27.6"
HEIGHT 40cm | 15.7"
CUBAGE 0.29m³ | 10.28ft³
LENGTH 104cm | 40.9"
WEIGHT 16kg | 35.27lbs

Technical

MATERIAL
Wooden frame, steel springs, foam.

WEIGHT CAPACITY
110kg | 242.51lbs

Upholstery

ARDA (available in 12 colours)



ABRASION
50000 martindale
lightfastness 5 - 6
pilling 4 - 5

FIRE RESISTANCE
BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

AUTUMN (available in 14 colours)

BOUCLE (available in 5 colours)



COMPOSITION

43% CO, 14% PA, 12% CV,
3% PES, 28% PAN


ABRASION

40000 martindale
lightfastness 4 - 6
pilling 4 - 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)

DIVINA 3 (available in 56 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 7
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

DIVINA MD (available in 27 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 6
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
EU Ecolabel

DIVINA MELANGE 3 (available in 49 colours)



COMPOSITION

100% WO


ABRASION

45000 martindale
lightfastness 6 - 7
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

Bearded Leopard (available in 3 colours)




COMPOSITION

77% CV, 15% PES, 7% CO,
1% PA

ABRASION

15000 martindale
lightfastness 4 - 6
pilling 4

EA, BLUSHING SL (available in 1 colours)



Calligraphy Bird (available in 4 colours)



COMPOSITION

64% CV, 21% PES, 15%
CO

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

EA, DANDELION C (available in 1 colours)



Dodo Pavone (available in 3 colours)



COMPOSITION

12% CO, 88% PES

ABRASION

40000 martindale

lightfastness 5

pilling 4 - 5

EA, GOLDEN TIGE (available in 1 colours)



EA, QUEEN COBRA (available in 1 colours)



Blushing Sloth Melange Mohair (available in 1 colours)



COMPOSITION

85% WV, 15% WM

ABRASION

15000 martindale
lightfastness 4 - 6
pilling 2 - 3

Blushing Sloth Woolly Mohair (available in 1 colours)



COMPOSITION


24% PES, 15% PA, 8% CO,
24% WM, 29% WV

ABRASION

40000 martindale
lightfastness 4 - 6
pilling 3 - 4

GUEST (available in 13 colours)

JUSTO (available in 11 colours)



COMPOSITION

15% CO, 35% PC, 10% PA,
40% CV


ABRASION

50000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

LISCIO (available in 6 colours)



COMPOSITION

35% WO, 35% CV, 21%
CO, 9% PA


ABRASION

30000 martindale
lightfastness 4 - 6
pilling 4

FIRE RESISTANCE

TB 117-2013

MERIT (available in 43 colours)



COMPOSITION

24% PES, 76%


ABRASION

85000 martindale

lightfastness 7

pilling 4

PALETTE (available in 12 colours)



COMPOSITION

42% CO, 29% WO, 29%
TL

ABRASION

45000 martindale

lightfastness 4 - 5

pilling 3 - 3


FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)

TB 117-2013

BS 5852 - Ignition source
5 (Crib 5)

REFLECT (available in 35 colours)



FIRE RESISTANCE


EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

OEKO-TEX

SHADE (available in 5 colours)



ABRASION

lightfastness 3 - 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

SOLIS (available in 9 colours)



COMPOSITION

60% WO, 30% PES, 2%
PA, 3% PC

ABRASION

40000 martindale

lightfastness 5

pilling 3 - 4


FIRE RESISTANCE

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

SPECTRUM (available in 11 colours)



ABRASION

lightfastness 6 - 6

FIRE RESISTANCE


EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

OEKO-TEX

SPRINKLES (available in 23 colours)



ABRASION

80000 martindale

lightfastness 7

pilling 4

FIRE RESISTANCE

EU Ecolabel

BS 5852 - Ignition source

0 (Cigarette)

BS 5852 - Ignition source

5 (Crib 5)

BS 5852 - Ignition source


1 (Match flame equivalent)

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

ULTRA (available in 6 colours)



ABRASION

lightfastness 6 - 7

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
ANSI/BIFMA M7.1 (Total
Volatile Organic
Compounds)

VESPER (available in 9 colours)



COMPOSITION

10% CO, 40% LI, 10% PA,
10% PES, 30% CV

ABRASION

40000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013