# moooi

# Cluster Lamp

JOEL DEGERMARK



Joel Degemark's Cluster Lamp is not just a fun eye-catcher that lights up your home. The fun begins before you put it in place. The Cluster Lamp comes without light sources, meaning you can get creative and design a unique lamp that fully suits your interior. The lamp gives room to five light sources of your choice. Big bulbs, small bulbs, coloured glass, frosted glass, round bulbs, flame bulbs, tubular bulbs, etc. The possibilities and combinations are endless. Let your imagination fly and create your own unique Cluster Lamp!

## Detailing



The Cluster Lamp comes without light sources, so the final shape will reflect your own imagination and personality.

### Colours

White

## Cluster Lamp / Clusterlamp

**Dimensions** 

19cm | 7.5"

14cm | 5.5"

Product

**WIDTH** 19cm | 7.5" **HEIGHT** 14cm | 5.5" **DEPTH** 19cm | 7.5"

**WEIGHT NETTO** 1kg | 2.2lbs

**Packaging** 

**WIDTH** 27cm | 10.6" **HEIGHT** 19cm | 7.5"

**cubage**  $0.01 \text{m}^3 \mid 0.49 \text{ft}^3$ **length**  $27 \text{cm} \mid 10.6$ "

**WEIGHT** 1kg | 2.2lbs

Technical CCC

ADDITIONAL

Lightsources not included.

MATERIAL

Polyester housing around metal frame

**ENERGY LABEL** 

A++ to E

LIGHTSOURCE TYPE

Incandescent

**INPUT VOLTAGE** 220-240V

MAX POWER CONSUMPTION

115W

RECOMMENDED LIGHTSOURCE

60W MAX E27, 40W MAX E14, 15W MAX E14

CABLE LENGTH

400cm | 157.5"

**DIMMING & LIGHTING CONTROL** 

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

5

FREQUENCY 50/60

LAMPHOLDER

E27, E14 and E14

CABLE COLOUR

White

CANOPY

Pebble II White, ABS

Technical CE / CCC

#### ADDITIONAL

Lightsources not included.

### MATERIAL

Polyester housing around metal frame

ENERGY LABEL A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE 220-240V

MAX POWER CONSUMPTION

115W

RECOMMENDED LIGHTSOURCE

60W MAX E27, 40W MAX E14, 15W MAX E14

CABLE LENGTH

400cm | 157.5"

**DIMMING & LIGHTING CONTROL** 

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

### $\epsilon$

### Technical UL

### ADDITIONAL

Lightsources not included.

#### MATERIAI

Polyester housing around metal frame

ENERGY LABEL INSTALLATION REQUIRED

A++ to E Yes

LIGHTSOURCE TYPE NUMBER OF LIGHTSOURCES

Incandescent 5

 INPUT VOLTAGE
 FREQUENCY

 110-130V
 50/60

MAX POWER CONSUMPTION LAMPHOLDER

115W E26, E12 and E12

RECOMMENDED LIGHTSOURCE CABLE COLOUR

60W MAX E26, 40W MAX E12, 15W MAX E12 White

CABLE LENGTH CANOPY

400cm | 157.5" Pebble II White, ABS

INSTALLATION REQUIRED

NUMBER OF LIGHTSOURCES

Yes

FREQUENCY

LAMPHOLDER

CABLE COLOUR

E27, E14 and E14

Pebble II White, ABS

50/60

White

CANOPY

### **DIMMING & LIGHTING CONTROL**

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



# Dimming & Lighting Control

# Mains dimmable with compatible light source

Compatible models: Clusterlamp CE, Clusterlamp CCC, Clusterlamp UL