

# Construction Lamp Floor

JOOST VAN BLEISWIJK




The Construction lamp ultimately originates from a bright curiosity combined with expert skills, industrial tools and a touch of playful passion for vintage construction toys. As a result, the lamp's details and joints take the shape of Victorian cast iron components and become part of a base that resembles a traditional electricity pole. Enjoy a high voltage stream of inventiveness and light!

## *Detailing*




Just like vintage construction toys and scaffolding, the Construction Lamp is assembled by hand.

## *Colours*



Black




White

# Construction Lamp Floor / Large

## Dimensions

90 cm | 35.4"



## Product

**WIDTH** 90cm | 35.4"

**HEIGHT** 185cm | 72.8"

**DEPTH** 90cm | 35.4"

**DIAMETER** 90cm | 35.4"

**WEIGHT NETTO** 16kg | 35.27lbs

## Packaging

**WIDTH** 102cm | 40.2"

**HEIGHT** 202cm | 79.5"

**CUBAGE** 2.1m<sup>3</sup> | 74.22ft<sup>3</sup>

**LENGTH** 102cm | 40.2"

**WEIGHT** 44kg | 97lbs

## Technical CE

### MATERIAL

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

### ENERGY LABEL

A++ to E

### NUMBER OF LIGHTSOURCES

4

### FREQUENCY

60

### LAMPHOLDER

E27

### PLUG TYPE

Europlug (Type-C)

### SWITCH

In line slide dimmer with on/off switch

### DIMMING & LIGHTING CONTROL

Dimmer on power cord

### LIGHTSOURCE TYPE

Incandescent

### INPUT VOLTAGE

220-240V

### MAX POWER CONSUMPTION

75W

### CABLE COLOUR

Black

### CABLE LENGTH

300cm | 118.1"

### LIGHT DIRECTION

All directions

See last page for more information about the dimming possibilities.



## Technical UL

### MATERIAL

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

**ENERGY LABEL**

A++ to E

**NUMBER OF LIGHTSOURCES**

4

**FREQUENCY**

50

**LAMPHOLDER**

E26

**PLUG TYPE**

US plug (Type A)

**SWITCH**

In line slide dimmer with on/off switch

**DIMMING & LIGHTING CONTROL**

Dimmer on power cord

*See last page for more information about the dimming possibilities.***LIGHTSOURCE TYPE**

Incandescent

**INPUT VOLTAGE**

110-127V

**MAX POWER CONSUMPTION**

75W

**CABLE COLOUR**

Black

**CABLE LENGTH**

300cm | 118.1"



**LIGHT DIRECTION**

All directions

## Construction Lamp Floor / Medium

### Dimensions

67 cm | 26.4"



### Product

**WIDTH** 67cm | 26.4"**HEIGHT** 139cm | 54.7"**DEPTH** 67cm | 26.4"**DIAMETER** 67cm | 26.4"**WEIGHT NETTO** 11kg | 24.25lbs

### Packaging

**WIDTH** 79cm | 31.1"**HEIGHT** 162cm | 63.8"**CUBAGE** 1.01m<sup>3</sup> | 35.7ft<sup>3</sup>**LENGTH** 79cm | 31.1"**WEIGHT** 28kg | 61.73lbs

### Technical CE

**MATERIAL**

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

**ENERGY LABEL**

A++ to E

**NUMBER OF LIGHTSOURCES**

2

**LIGHTSOURCE TYPE**

Incandescent

**INPUT VOLTAGE**

220-240V

**FREQUENCY**

60

**MAX POWER CONSUMPTION**

75W

**LAMPHOLDER**

E27

**CABLE COLOUR**

Black

**PLUG TYPE**

Europlug (Type-C)

**CABLE LENGTH**

300cm | 118.1"

**SWITCH**

In line slide dimmer with on/off switch

**LIGHT DIRECTION**

All directions

**DIMMING & LIGHTING CONTROL**

Dimmer on power cord

*See last page for more information about the dimming possibilities.*

---

*Technical UL***MATERIAL**

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

**ENERGY LABEL**

A++ to E

**LIGHTSOURCE TYPE**

Incandescent

**NUMBER OF LIGHTSOURCES**

2

**INPUT VOLTAGE**

110-127V

**FREQUENCY**

50

**MAX POWER CONSUMPTION**

75W

**LAMPHOLDER**

E26

**CABLE COLOUR**

Black

**PLUG TYPE**

US plug (Type A)

**CABLE LENGTH**

300cm | 118.1"

**SWITCH**

In line slide dimmer with on/off switch

**LIGHT DIRECTION**

All directions

**DIMMING & LIGHTING CONTROL**

Dimmer on power cord

*See last page for more information about the dimming possibilities.*

## *Dimming & Lighting Control*

### *Dimmer on power cord*

Compatible models: Large CE, Large UL, Medium CE, Medium UL

---