
# SELTZ | basic

Romano Marcato | 2009






Distinctive and discreet with its top that tilts to 90°, the SELTZ small table meets the needs of any context. The steel column and offset feet facilitate storage. The tabletop is available in three different colours: white, black or wood. Just enough to create the perfect cocktail.





## | basic Folding bar table with round or square top Ø60 | 60x60 H72

Nesting table with flip-top in plywood of birch oak veneered or in laminate with visible plywood edge or in HPL 10 mm or lacquered MDF. Base in sandblasted stainless steel Aisi 304 with adjustable feet in polythene.



# SELTZ | basic

### Romano Marcato | 2009

#### frame



metal stainless steel

#### top

laminate

406 abet 9/10

1 Colors

HPL 10 mm HPL H406 1 Colors



HPL 10 mm HPL fenix 2 Colors



wood blanched oak 1 Colors



wood black open pore 1 Colors



wood I oak dark walnut v 1 Colors 1

lacquered white lacquered

consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

#### use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.