

m o o o i

Hana Armchair

SIMONE BONANNI




Create your own world in your safe space that is the Hana Armchair. Let the softness of the folds lure you in and when you step into that abundance of soft fabric, you're stepping into your own space and away from the hustle and bustle of the world. A moment of contemplation and ultimate relaxation. Mindfulness made tangible in the shape of a chair. The Hana is sculptured around the human body and its need to be pampered, embraced and accommodated for long stretches of time. The generous, cute, subtly curves allow for hours of lounging to daydream, read a book and let your imagination fly.

Detailing



Hana's curves are complimented with carefully thought through folds, with the unique characteristics of all available fabrics in mind.

Colours



Justo, Bazalt




Rendezvous
Tokyo Blue velvet
Indigo

CAT 1



Hana Armchair / Armchair

Dimensions

100cm | 39.4"



92cm | 36.2"



74cm | 29.1"

Product

WIDTH 92cm | 36.2"

HEIGHT 74cm | 29.1"

DEPTH 92cm | 36.2"

DIAMETER 92cm | 36.2"

Packaging

WIDTH 111cm | 43.7"

HEIGHT 80cm | 31.5"

CUBAGE 0.9m³ | 31.67ft³

LENGTH 101cm | 39.8"

WEIGHT 46.5kg | 102.51lbs

Technical

MATERIAL

Metal frame. elastic straps, cut and molded foam.

HEIGHT ARMREST

69cm | 27.2"

SEAT DEPTH

60cm | 23.6"

SEAT HEIGHT

40cm | 15.7"

SEAT WIDTH 2

57cm | 22.4"

HEIGHT ARMREST 2

41cm | 16.1"

SEAT DEPTH 2

42cm | 16.5"

SEAT WIDTH

67cm | 26.4"


SEATING CAPACITY

1


Hana Armchair / Swivel

Dimensions

100cm | 39.4"



92cm | 36.2"



74cm | 29.1"

Product

WIDTH 92cm | 36.2"

HEIGHT 74cm | 29.1"

DEPTH 92cm | 36.2"

DIAMETER 92cm | 36.2"

Packaging

WIDTH 100cm | 39.4"

HEIGHT 70cm | 27.6"

CUBAGE 0.91m³ | 32.14ft³

LENGTH 130cm | 51.2"

WEIGHT 50kg | 110.23lbs

Technical

MATERIAL

Metal frame. elastic straps, cut and molded foam.

HEIGHT ARMREST

69cm | 27.2"

SEAT DEPTH

60cm | 23.6"

SEAT HEIGHT

40cm | 15.7"

SEAT WIDTH 2

57cm | 22.4"

HEIGHT ARMREST 2

41cm | 16.1"

SEAT DEPTH 2

42cm | 16.5"

SEAT WIDTH

67cm | 26.4"


SEATING CAPACITY

1


Hana Armchair / Wingback

Dimensions

119cm | 46.9"



96cm | 37.8"



126cm | 49.6"

Product

WIDTH 119cm | 46.9"

HEIGHT 126cm | 49.6"

DEPTH 96cm | 37.8"

Packaging

WIDTH 130cm | 51.2"

HEIGHT 133cm | 52.4"

CUBAGE 1.85m³ | 65.33ft³

LENGTH 107cm | 42.1"

WEIGHT 86.5kg | 190.7lbs

Technical

MATERIAL

Metal frame. elastic straps, cut and molded foam.

HEIGHT ARMREST

69cm | 27.2"

SEAT DEPTH

60cm | 23.6"

SEAT HEIGHT

40cm | 15.7"

SEAT WIDTH 2

57cm | 22.4"

HEIGHT ARMREST 2

41cm | 16.1"

SEAT DEPTH 2

42cm | 16.5"

SEAT WIDTH

67cm | 26.4"


SEATING CAPACITY

1


Hana Armchair / Wingback Swivel

Dimensions

119cm | 46.9"



96cm | 37.8"



Product

WIDTH 119cm | 46.9"

HEIGHT 126cm | 49.6"

DEPTH 96cm | 37.8"

Packaging

WIDTH 130cm | 51.2"

HEIGHT 133cm | 52.4"

CUBAGE 1.85m³ | 65.33ft³

LENGTH 107cm | 42.1"

WEIGHT 86.5kg | 190.7lbs

Technical

MATERIAL

Metal frame. elastic straps, cut and molded foam.

HEIGHT ARMREST

69cm | 27.2"

SEAT DEPTH

60cm | 23.6"

SEAT HEIGHT

40cm | 15.7"

SEAT WIDTH 2

57cm | 22.4"

HEIGHT ARMREST 2

41cm | 16.1"

SEAT DEPTH 2

42cm | 16.5"

SEAT WIDTH


67cm | 26.4"

SEATING CAPACITY

1

Upholstery

ABBRACCI (available in 6 colours)



COMPOSITION

100% PES

ABRASION

30000 martindale
lightfastness 3 - 4
pilling 5

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

ARDA (available in 12 colours)



ABRASION

50000 martindale
lightfastness 5 - 6
pilling 4 - 5

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

AUTUMN (available in 14 colours)



COMPOSITION

43% CO, 14% PA, 12% CV,
3% PES, 28% PAN


ABRASION

40000 martindale
lightfastness 4 - 6
pilling 4 - 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)

DIVINA 3 (available in 56 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 7
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

DIVINA MD (available in 27 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 6
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
EU Ecolabel

DIVINA MELANGE 3 (available in 49 colours)



COMPOSITION

100% WO


ABRASION

45000 martindale
lightfastness 6 - 7
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

Bearded Leopard (available in 3 colours)



COMPOSITION

77% CV, 15% PES, 7% CO,
1% PA


ABRASION

15000 martindale
lightfastness 4 - 6
pilling 4

EA, BLUSHING SL (available in 1 colours)



Calligraphy Bird (available in 4 colours)



COMPOSITION

64% CV, 21% PES, 15%
CO

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

EA, DANDELION C (available in 1 colours)



Dodo Pavone (available in 3 colours)



COMPOSITION

12% CO, 88% PES

ABRASION

40000 martindale
lightfastness 5
pilling 4 - 5

EA, GOLDEN TIGE (available in 1 colours)



Memento Moool Medley (available in 1 colours)



COMPOSITION

100% PES

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

Menagerie of Extinct Animals (available in 2 colours)



COMPOSITION

100% PES

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

EA, POGO GOAT (available in 1 colours)



EA, QUEEN COBRA (available in 1 colours)



Rendezvous Tokyo Blue (available in 1 colours)



COMPOSITION

100% PES

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

Blushing Sloth Melange Mohair (available in 1 colours)



COMPOSITION

85% WV, 15% WM

ABRASION

15000 martindale
lightfastness 4 - 6
pilling 2 - 3

FIORD (available in 39 colours)



COMPOSITION

92% WV, 8% PA

ABRASION


60000 martindale
lightfastness 6
pilling 4 - 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
1 (Match flame equivalent)

GUEST (available in 13 colours)

HALLINGDAL 65 (available in 58 colours)



COMPOSITION

30% CV, 70% WV


ABRASION

100000 martindale
lightfastness 7
pilling 3 - 4

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

HARALD 3 (available in 29 colours)



COMPOSITION

100% CO


ABRASION

100000 martindale
lightfastness 5
pilling 4 - 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)

JUSTO (available in 11 colours)



COMPOSITION

15% CO, 35% PC, 10% PA,
40% CV


ABRASION

50000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

LISCIO (available in 6 colours)



COMPOSITION

35% WO, 35% CV, 21%
CO, 9% PA


ABRASION

30000 martindale
lightfastness 4 - 6
pilling 4

FIRE RESISTANCE

TB 117-2013

MERIT (available in 43 colours)




COMPOSITION

24% PES, 76%

ABRASION

85000 martindale
lightfastness 7
pilling 4

MOSAIC 2 (available in 15 colours)



COMPOSITION

58% PES, 27% WV, 9% PA,
6% EA

ABRASION

100000 martindale
lightfastness 6 - 7
pilling 4 - 5

ORAY RAY (available in 15 colours)

COMPOSITION

39% LI, 38% CV, 15% PE,
8% CO


ABRASION

30000 martindale
pilling 4 - 5

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
1 (Match flame equivalent)
TB 117-2013

ORAY RONAN (available in 5 colours)



COMPOSITION

39% LI, 38% CV, 15% PE,
8% CO


ABRASION

30000 martindale
pilling 4 - 5

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
1 (Match flame equivalent)
TB 117-2013

PALETTE (available in 12 colours)



COMPOSITION

42% CO, 29% WO, 29%
TL

ABRASION


45000 martindale
lightfastness 4 - 5
pilling 3 - 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
TB 117-2013
BS 5852 - Ignition source
5 (Crib 5)

REFLECT (available in 35 colours)

REMIX 3 (available in 54 colours)




COMPOSITION

10% PA, 90% WV

ABRASION

100000 martindale
lightfastness 5
pilling 4


SAVANNE (available in 3 colours)



FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
OEKO-TEX

SHADE (available in 5 colours)



ABRASION

lightfastness 3 - 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

SOLIS (available in 9 colours)



COMPOSITION

60% WO, 30% PES, 2%
PA, 3% PC

ABRASION

40000 martindale

lightfastness 5

pilling 3 - 4


FIRE RESISTANCE

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

SPECTRUM (available in 11 colours)



ABRASION

lightfastness 6 - 6

FIRE RESISTANCE


EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

OEKO-TEX

SPRINKLES (available in 23 colours)




ABRASION

80000 martindale
lightfastness 7
pilling 4

FIRE RESISTANCE

EU Ecolabel
BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

STEELCUT TRIO 3 (available in 54 colours)



COMPOSITION

90% WV, 10% PA


ABRASION

100000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
EU Ecolabel

ULTRA (available in 6 colours)



ABRASION

lightfastness 6 - 7

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
ANSI/BIFMA M7.1 (Total
Volatile Organic
Compounds)

VESPER (available in 9 colours)



COMPOSITION

10% CO, 40% LI, 10% PA,
10% PES, 30% CV

ABRASION

40000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
