

Hana Bar Stool Upholstered

SIMONE BONANNI



Hana Bar Stool brings sculptural elegance to any bar or countertop. Its iconic Hana petal-shaped backrest and curved lines boast a minimalist charm. Available in two heights: 65cm and 75cm. The vibrant upholstered seat adds a touch of luxury, complementing the sturdy metal base in black or chrome. A perfect blend of comfort and style for any elevated space.

Detailing



Hana Bar Stool can be upholstered in 437 fabrics and offers a frame in black or chrome for added versatility.

Colours

CAT II

Hana Bar Stool Upholstered / High Black Legs

Dimensions

56cm | 22"



55cm | 21.7"



76cm | 29.9"



114cm | 44.8"

Product

WIDTH 56cm | 22"
HEIGHT 114cm | 44.9"
DEPTH 55cm | 21.7"
WEIGHT NETTO 10.8kg | 23.8lbs

Packaging

WIDTH 56cm | 22"
HEIGHT 115cm | 45.3"
CUBAGE 0.38m³ | 13.42ft³
LENGTH 59cm | 23.2"
WEIGHT 6.7kg | 14.77lbs

Technical

MATERIAL
PPGF and Steel

SEAT DEPTH
45cm | 17.7"

SEAT WIDTH
50cm | 19.7"

SEATING CAPACITY
1

SEAT HEIGHT
76cm | 29.9"

WEIGHT CAPACITY
110kg | 242.51lbs

Hana Bar Stool Upholstered / High Chrome Legs

Dimensions

56cm | 22"



55cm | 21.7"



76cm | 29.9"



114cm | 44.8"

Product

WIDTH 56cm | 22"
HEIGHT 114cm | 44.9"
DEPTH 55cm | 21.7"
WEIGHT NETTO 10.8kg | 23.8lbs

Packaging

WIDTH 56cm | 22"
HEIGHT 115cm | 45.3"
CUBAGE 0.38m³ | 13.42ft³
LENGTH 59cm | 23.2"
WEIGHT 6.7kg | 14.77lbs

Technical

MATERIAL
PPGF and Steel

SEAT DEPTH
45cm | 17.7"

SEAT WIDTH
50cm | 19.7"


SEATING CAPACITY
1

SEAT HEIGHT
76cm | 29.9"

WEIGHT CAPACITY
110kg | 242.51lbs

Hana Bar Stool Upholstered / Low Black Legs

Dimensions



Product

WIDTH 56cm | 22"
HEIGHT 104cm | 40.9"
DEPTH 53cm | 20.9"
WEIGHT NETTO 8.2kg | 18.08lbs

Packaging

WIDTH 56cm | 22"
HEIGHT 105cm | 41.3"
CUBAGE 0.35m³ | 12.25ft³
LENGTH 59cm | 23.2"
WEIGHT 6.7kg | 14.77lbs

Technical

MATERIAL
PPGF and Steel

SEAT DEPTH
45cm | 17.7"

SEAT WIDTH
50cm | 19.7"

SEATING CAPACITY
1

SEAT HEIGHT
66cm | 26"

WEIGHT CAPACITY
110kg | 242.51lbs

Hana Bar Stool Upholstered / Low Chrome Legs

Dimensions

56cm | 22"



55cm | 21.7"



66cm | 26"



104cm | 41"

Product

WIDTH 56cm | 22"

HEIGHT 104cm | 40.9"

DEPTH 53cm | 20.9"

WEIGHT NETTO 9.1kg |
20.06lbs

Packaging

WIDTH 56cm | 22"

HEIGHT 105cm | 41.3"

CUBAGE 0.35m³ | 12.25ft³

LENGTH 59cm | 23.2"

WEIGHT 6.7kg | 14.77lbs

Technical

MATERIAL

PPGF and Steel

SEAT DEPTH

45cm | 17.7"

SEAT WIDTH

50cm | 19.7"

SEATING CAPACITY

1

SEAT HEIGHT

66cm | 26"

WEIGHT CAPACITY

110kg | 242.51lbs

Upholstery

ARDA (available in 12 colours)



ABRASION

50000 martindale
lightfastness 5 - 6
pilling 4 - 5

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

AUTUMN (available in 14 colours)

BOUCLE (available in 5 colours)



COMPOSITION

43% CO, 14% PA, 12% CV,
3% PES, 28% PAN


ABRASION

40000 martindale
lightfastness 4 - 6
pilling 4 - 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)

DIVINA 3 (available in 56 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 7
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

DIVINA MD (available in 27 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 6
pilling 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
EU Ecolabel

DIVINA MELANGE 3 (available in 49 colours)



COMPOSITION

100% WO

ABRASION

45000 martindale
lightfastness 6 - 7
pilling 3


FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

EA, BLUSHING SL (available in 1 colours)



Calligraphy Bird (available in 4 colours)



COMPOSITION

64% CV, 21% PES, 15%
CO

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

EA, DANDELION C (available in 1 colours)



Dodo Pavone (available in 3 colours)



COMPOSITION

12% CO, 88% PES

ABRASION

40000 martindale
lightfastness 5
pilling 4 - 5

EA, GOLDEN TIGE (available in 1 colours)



Memento Moool Medley (available in 1 colours)



COMPOSITION

100% PES

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

Menagerie of Extinct Animals (available in 2 colours)



COMPOSITION

100% PES

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

EA, POGO GOAT (available in 1 colours)



EA, QUEEN COBRA (available in 1 colours)



Rendezvous Tokyo Blue (available in 1 colours)



COMPOSITION

100% PES

ABRASION

50000 martindale
lightfastness 4 - 6
pilling 5

Blushing Sloth Melange Mohair (available in 1 colours)



COMPOSITION


85% WV, 15% WM

ABRASION

15000 martindale
lightfastness 4 - 6
pilling 2 - 3

GUEST (available in 13 colours)

HALLINGDAL 65 (available in 58 colours)



COMPOSITION

30% CV, 70% WV


ABRASION

100000 martindale
lightfastness 7
pilling 3 - 4

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
EU Ecolabel

JUSTO (available in 11 colours)



COMPOSITION

15% CO, 35% PC, 10% PA,
40% CV


ABRASION

50000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

LISCIO (available in 6 colours)



COMPOSITION

35% WO, 35% CV, 21%
CO, 9% PA


ABRASION

30000 martindale
lightfastness 4 - 6
pilling 4

FIRE RESISTANCE

TB 117-2013

MERIT (available in 43 colours)




COMPOSITION

24% PES, 76%

ABRASION

85000 martindale
lightfastness 7
pilling 4

MOSAIC 2 (available in 15 colours)




COMPOSITION

58% PES, 27% WV, 9% PA,
6% EA

ABRASION

100000 martindale
lightfastness 6 - 7
pilling 4 - 5

PALETTE (available in 12 colours)



COMPOSITION

42% CO, 29% WO, 29%
TL


ABRASION

45000 martindale
lightfastness 4 - 5
pilling 3 - 3

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
TB 117-2013
BS 5852 - Ignition source
5 (Crib 5)


REFLECT (available in 35 colours)



FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
OEKO-TEX

SHADE (available in 5 colours)



ABRASION

lightfastness 3 - 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

SOLIS (available in 9 colours)



COMPOSITION

60% WO, 30% PES, 2%
PA, 3% PC

ABRASION

40000 martindale

lightfastness 5

pilling 3 - 4


FIRE RESISTANCE

EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

SPECTRUM (available in 11 colours)



ABRASION

lightfastness 6 - 6

FIRE RESISTANCE


EN 1021-1 (Cigarette)

EN 1021-2 (Match)

TB 117-2013

OEKO-TEX

SPRINKLES (available in 23 colours)




ABRASION

80000 martindale
lightfastness 7
pilling 4

FIRE RESISTANCE

EU Ecolabel
BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
5 (Crib 5)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013

STEELCUT TRIO 3 (available in 54 colours)



COMPOSITION

90% WV, 10% PA


ABRASION

100000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

BS 5852 - Ignition source
0 (Cigarette)
BS 5852 - Ignition source
1 (Match flame equivalent)
EN 1021-1 (Cigarette)
EN 1021-2 (Match)
EU Ecolabel

ULTRA (available in 6 colours)



ABRASION

lightfastness 6 - 7

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
ANSI/BIFMA M7.1 (Total
Volatile Organic
Compounds)

VESPER (available in 9 colours)



COMPOSITION

10% CO, 40% LI, 10% PA,
10% PES, 30% CV

ABRASION

40000 martindale
lightfastness 5
pilling 4

FIRE RESISTANCE

EN 1021-1 (Cigarette)
EN 1021-2 (Match)
TB 117-2013
