

# Statistocrat Floor Lamp

ATELIER VAN LIESHOUT



The floor lamp's lean aluminium body is really multifunctional with its towering two meters and all-embracing light beams, the tallest shade projecting light towards the ceiling while the wider shade acts as the perfect reading lamp. And what about the two other shades? The lowest is no shade ... but a surprisingly useful side table. Perfect to support a laptop or your favorite drink, it's always in the spotlight!

## *Detailing*




Statistocrat features Joep van Lieshout's signature raw weld finish.

## *Colours*



RAL 1004  
Golden yellow



RAL 1013  
Oyster white



RAL 1023  
Traffic yellow



RAL 1027  
Curry



RAL 2000  
Yellow orange



RAL 2002  
Vermilion



RAL 2004  
Pure orange



RAL 3003  
Ruby red



RAL 3012  
Beige red



RAL 5003  
Sapphire blue



RAL 5008  
Grey blue



RAL 6010  
Grass green



RAL 6021  
Pale green




RAL 7001  
Silver grey



RAL 7011  
Iron grey



RAL 7035  
Light grey



RAL 7044  
Silk grey



RAL 8001  
Ochre brown



RAL 8014  
Sepia brown




RAL 8016  
Mahogany brown




RAL 9005  
black



RAL 9010  
Pure white



RAL 9016  
white




RAL 3015  
Light pink



RAL 5024  
Pastel blue

# Statistocrat Floor Lamp

## Dimensions



## Product

**WIDTH** 130cm | 51.2"  
**HEIGHT** 200cm | 78.7"  
**DEPTH** 90cm | 35.4"  
**WEIGHT NETTO** 23kg | 50.71lbs

## Packaging

**WIDTH** 121cm | 47.6"  
**HEIGHT** 215cm | 84.6"  
**CUBAGE** 3.15m<sup>3</sup> | 111.16ft<sup>3</sup>  
**LENGTH** 121cm | 47.6"  
**WEIGHT** 81kg | 178.57lbs

## Technical CE

### MATERIAL

Aluminium frame with structured matt powdercoating.

### ENERGY LABEL

B

### LIGHTSOURCE INCLUDED

Yes

### INPUT VOLTAGE

180-240V

### MAX POWER CONSUMPTION

40W

### LIFETIME

50000 hours

### PLUG TYPE

Europlug (Type-C)

### SWITCH

In line on/off switch

### CRI

80

### LIGHT OUTPUT

1200 lm

### LIGHTSOURCE TYPE

LED

### NUMBER OF LIGHTSOURCES

3

### FREQUENCY

50/60

### LAMPHOLDER

LED (Solid state)

### CABLE COLOUR

Black

### CABLE LENGTH

300cm | 118.1"

### COLOUR TEMPERATURE

2700 K (max)

### LIGHT DIRECTION

All directions

### DIMMING & LIGHTING CONTROL

Integrated dimmer

See last page for more information about the dimming possibilities.



## Technical CU

### MATERIAL

Aluminium frame with structured matt powdercoating.

### ENERGY LABEL

B

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

3

### INPUT VOLTAGE

90-130V

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

40W

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Black

### PLUG TYPE

US plug (Type A)

### CABLE LENGTH

300cm | 118.1"

### SWITCH

In line on/off switch

### COLOUR TEMPERATURE

2700 K (max)

### CRI

80

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

1200 lm

### DIMMING & LIGHTING CONTROL

Integrated dimmer

*See last page for more information about the dimming possibilities.*

## *Dimming & Lighting Control*

### *Integrated dimmer*

Compatible models: Statistocrat Floor Lamp CE, Statistocrat Floor Lamp CU

---