

Lud'o Tech

Designer	Patricia Urquiola
Year	2024
Category	Table/Service table
Country of Origin	Made in Italy
Environment	Indoor
Collection	Collezione



Series of tables and service tables in different dimensions with conical metal base and round or squared top made of oak wood or high-pressure laminate.

Serie di tavoli e tavolini in diverse dimensioni con base conica in metallo e piano rotondo o quadrato in rovere o laminato a forte spessore.

MATERIALS & FINISHES

Base

metal plates and tubes with embossed powder coating:

- OC1 pure white RAL 9010
- OC2 violet blue RAL 5000
- OC3 oxide red RAL 3009
- OC4 jet black RAL 9005
- OC6 traffic red RAL 3020
- OC7 beige grey RAL 7006

Top

medium-density fibreboard conglomerate panel:

- 133 natural oak
- 158 black stained oak

high-pressure laminate:

- black
- white with black edge

Feet

black plastic

Base

piastre e tubi di metallo con verniciatura a polvere epossidica:

- OC1 bianco puro RAL 9010
- OC2 blu violaceo RAL 5000
- OC3 rosso ossido RAL 3009
- OC4 nero intenso RAL 9005
- OC6 rosso traffico RAL 3020
- OC7 grigio beige RAL 7006

Piano

pannelli in conglomerato di fibra di legno a media densità:

- 133 rovere naturale
- 158 rovere tinto nero

laminato a forte spessore:

- nero
- bianco con bordo nero

Piedini

plastica nera

MATERIALS & FINISHES

Notes

- Tables LUT4 and LUT5 are equipped with an internal concrete counterweight ballast
- The maximum external load for 90x90 cm top is 56 kg
- All models are designed to ensure compatibility with recessed electrification systems and cable management; when ordering, please specify the model and the brand of the system and attach the relative data sheet and documentation (if possible, with physical sample to make appropriate checks)
- The systems are compatible if they comply with the following requirements:
 - top installation hole with Ø max 80 mm or 56x56 mm
 - potential under top fastening ring with Ø 95xH.12 mm
 - below the top, the maximum overall dimensions of the electrification system are 125 mm
 - if the system has an external transformer/power supply, it is necessary that this can be disconnected to allow the passage of the cable inside the column
- The electrification system is always at the customer's expense; in any case, it is possible to require a cable hole on the tabletop (please always provide the technical documentation)
- The prices shown are inclusive of potential top drilling


Note

- I tavoli LUT4 e LUT5 vengono forniti con una zavorra contrappeso interna in cemento
- Il carico massimo più esterno per il piano da 90x90 cm è di 56 kg
- Per tutti i modelli è prevista la compatibilità con sistemi di elettrificazione e di gestione cavi a incasso sul piano; specificare al momento dell'ordine marca e modello del sistema che si vuole utilizzare, allegando scheda tecnica e relativa documentazione (ideale campione fisico per adeguati controlli)
- Per essere compatibili, i sistemi di elettrificazione devono presentare:
 - foro di installazione su piano di dimensione massima Ø80 mm o 56 x 56 mm
 - eventuale ghiera di fissaggio sottopiano di dimensione massima Ø95xH.12 mm
 - da sotto al piano, ingombro massimo del sistema di elettrificazione 125 mm
 - qualora il sistema presenti un trasformatore/alimentatore esterno, questo deve essere scollegabile per permettere il passaggio del cavo all'interno della colonna
- La fornitura del sistema di elettrificazione è sempre a carico del cliente; è comunque possibile richiedere il piano già forato (fornire adeguata documentazione tecnica)
- I prezzi indicati sono comprensivi di eventuale foratura piano

[DOWNLOAD THE FINISHES CATALOGUE](#)

[SCARICA L'ELENCO FINITURE](#)

DIMENSIONS





Discover Lud'o Table